
In Mo 15

An Inaugurub Differtation
Cholora Infantum.

By Welliame II Ourne
of Philosolphia

Paper March 12 1/823




Cholera Infantum

Chilica Infuntional is sufficient and a security of the Chilical sellmbert, if we take into much a dynapteme of this latter decision as it appeared during the time of by dechain in with the structural times. It appeared until their Identity. It appeared until sufficient Considerations and displayed the way stame hymptome, differing at least so slightly that Considerations we should be advantage that Considerations we will be sentended by Climate or Considerations we will be suffered at its way on the letter.

In this Causty we have the Correborating lectioning of Physician technik serve to justify the Conclaim that Cholow Infantism innusty a security of Cholox obtrolish.

At late as the last demonstrate Colored describe of this bety among the free; the Romettont, the Chelene ellectrics and In fantum, were observed to easil in the earne Henries. The destroit which was objected by the one, were inscriptly infected by the Oblas, and the earne Carrier which would act in removing on Acted in removing all.

By Consulting the Lectures of the present Professor of the Practice of the University of Tenneyteanies, we write finit his office and of the Class altiums existing between the two discussions tabled



entirely exacuated, he has succeeded in Cening his Patients by administering the 12th of a Grain of Sub Mur. Hyde. (Calomet) Combined with the same quantity of Their and Therase. refreated every one, two three, or four Hours as Circumstances may requires, and adds " that this Composition Carefully ad ministered atmost always Carried down a secretion of yel. low biles . It also processes sleep, softens the skin, and gives a flattering manifestation of an Improving Condition of the patient; though it is not employed with a uniformly successful resultifor while the Original Causes of the disease remain helelapses into the same Condition of languor In using Calomel I would not depend on it alone i fit freduces its allactive effects, it is enough, we Can always procure a regular evacuation of the Bowels by Oliver recini . Magnesia. Whubart to & the practice of giving Calomet in these doses was first introduced by Doctor Edwind Miller of New York. It is Doctor Meig's Opinion that the small doses above

It is Doctor's Height opinion that the small choice at momentioned are more officered than larger end and there is life danger of the glands of the Mouth being affected.

"Injections are far for a solution the funds be effects of the section; they may be used five as she time a day of Composed of this obtaining ment materially at night on addition of Guiduman is useful.

The Cholesa Infratern may berminate in Dearshow the Stemach at the came time being vertables of ericlation is exception. Anodyne syschemed are Extended for the albabit

n Relacioned Mixtures are recommended

Or R/ Pul Phie Gos X

Chag Cale Go XXX The opin Gtt XX Tacchalba 3 ij

Ol Anisi Get, VI


Aqua Com 3 viij

Me Capital Coche larg. 1 Om 3" wol 15 hora

15

The infusion of Logwood is used in this City to stop the Dian how The Devotory back infusion one owner to the Tint of water dose a lable spoonful is an excellent remedy it is an aromatic and more astrongent than any thing in the shops this last is particularly recommended by Doctor Chapman -Defreeliond - The Mucus mombrane of the Homach is par licularly affected. The Hopatic apparatus deranged Live increased in Size, often indicated but generally flatby. The gall Bladder felled with Withated bile " & Chapmon manus fel Land. It is not sufficient that the Physician performs his duty, of the attendants of the Patient fulfill not theirs also, and if external Circumstances be not properly attended to aph Hopps There is perhaps no disease in which the truth of this aphonism of the Father of Medicine is more fully exemple feel, than in the one under Consideration Il is in voin that the Physician presented Medicines and mode, with appropriate remedies, of the Patient be improperly necessed; a external areumstances be not attended to -When Called to a Patient labouring under Cholora Infantum, the first thing necessary is to recommend his

immediate removal from out the sphere of those Causes by which the disease has been produced; from a Confined and filling part of the City to one more open and Cleanly for what is still botter from the City to the Country . But it unforter nately happens in very many instances this is either in possible to be affected; or iven the highest degree inconvenients. The however it is our duty to recommend a removal of our Patient to an upper Room, and one at the same time the most extensive in the Building; and in which the Child may have the benefit of a few Circulation of air, without the necesforly of exposing it, particularly in the Evening, to a Current of wind. Where this Cannot be done our efforts much bein voin, for no sooner have we removed the present dis vase, than the Continued application of its Causes with produce its speedy return. a romoval to a high and healthy Mication; will of itself, with the aid only perhaps of a down of Castor Oil to Clear out the intestines , frequently Heat a Cure of the disease -It will be necessary to pay great attention to the Diet which should be light and nourishing mith tokey is very



suitable as also the farenaciones substances - during Considerance the lighted and most grateful food should be taken in a small quantity at a timezouch as Chicken book, stage. Prin grueb —

